

Environment Protection Licence

Licence - 6163

| Licence Details | |
|------------------------|------------|
| Number: | 6163 |
| Anniversary Date: | 29-October |

| Licensee |
|----------------------------------|
| TOMAGO ALUMINIUM COMPANY PTY LTD |
| PO BOX 405 |
| RAYMOND TERRACE NSW 2324 |

| Premises |
|--------------------------|
| TOMAGO ALUMINIUM COMPANY |
| 576-638 TOMAGO ROAD |
| TOMAGO NSW 2322 |

| Scheduled Activity |
|--|
| Metallurgical activities |
| Waste processing (non-thermal treatment) |
| Waste storage |

| Fee Based Activity | Scale |
|--|--|
| Aluminium production (alumina) | Any capacity |
| Metal waste generation | > 100 T annual volume of waste generated or stored |
| Non-thermal treatment of hazardous and other waste | Any annual processing capacity |
| Waste storage - hazardous, restricted solid, liquid, clinical and related waste and asbestos waste | Any listed waste type stored |

| Region |
|---|
| North - Hunter |
| Ground Floor, NSW Govt Offices, 117 Bull Street |
| NEWCASTLE WEST NSW 2302 |
| Phone: (02) 4908 6800 |
| Fax: (02) 4908 6810 |
| PO Box 488G |
| NEWCASTLE NSW 2300 |

Environment Protection Licence



Licence - 6163

| | |
|---|----|
| INFORMATION ABOUT THIS LICENCE | 4 |
| Dictionary | 4 |
| Responsibilities of licensee | 4 |
| Variation of licence conditions | 4 |
| Duration of licence | 4 |
| Licence review | 4 |
| Fees and annual return to be sent to the EPA | 4 |
| Transfer of licence | 5 |
| Public register and access to monitoring data | 5 |
| 1 ADMINISTRATIVE CONDITIONS | 6 |
| A1 What the licence authorises and regulates | 6 |
| A2 Premises or plant to which this licence applies | 6 |
| A3 Other activities | 6 |
| A4 Information supplied to the EPA | 7 |
| 2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND | 7 |
| P1 Location of monitoring/discharge points and areas | 7 |
| 3 LIMIT CONDITIONS | 9 |
| L1 Pollution of waters | 9 |
| L2 Load limits | 9 |
| L3 Concentration limits | 10 |
| L4 Volume and mass limits | 11 |
| L5 Waste | 12 |
| L6 Potentially offensive odour | 13 |
| L7 Other limit conditions | 13 |
| 4 OPERATING CONDITIONS | 13 |
| O1 Activities must be carried out in a competent manner | 13 |
| O2 Maintenance of plant and equipment | 14 |
| O3 Dust | 14 |
| O4 Effluent application to land | 14 |
| O5 Emergency response | 14 |
| O6 Processes and management | 15 |
| O7 Waste management | 15 |
| 5 MONITORING AND RECORDING CONDITIONS | 16 |
| M1 Monitoring records | 16 |



Environment Protection Licence

Licence - 6163

| | | |
|----------|---|-----------|
| M2 | Requirement to monitor concentration of pollutants discharged | 16 |
| M3 | Testing methods - concentration limits | 19 |
| M4 | Testing methods - load limits | 19 |
| M5 | Environmental monitoring | 20 |
| M6 | Weather monitoring | 21 |
| M7 | Recording of pollution complaints | 21 |
| M8 | Telephone complaints line | 22 |
| M9 | Requirement to monitor volume or mass | 22 |
| 6 | REPORTING CONDITIONS | 23 |
| R1 | Annual return documents | 23 |
| R2 | Notification of environmental harm | 24 |
| R3 | Written report | 24 |
| R4 | Other reporting conditions | 25 |
| 7 | GENERAL CONDITIONS | 25 |
| G1 | Copy of licence kept at the premises or plant | 25 |
| G2 | Other general conditions | 26 |
| | DICTIONARY | 27 |
| | General Dictionary | 27 |

Environment Protection Licence

Licence - 6163



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Environment Protection Licence

Licence - 6163



The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

| |
|---|
| TOMAGO ALUMINIUM COMPANY PTY LTD |
| PO BOX 405 |
| RAYMOND TERRACE NSW 2324 |

subject to the conditions which follow.

Environment Protection Licence



Licence - 6163

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

| Scheduled Activity | Fee Based Activity | Scale |
|--|--|--|
| Metallurgical activities | Aluminium production (alumina) | Any capacity |
| Metallurgical activities | Metal waste generation | > 100 T annual volume of waste generated or stored |
| Waste processing (non-thermal treatment) | Non-thermal treatment of hazardous and other waste | Any annual processing capacity |
| Waste storage | Waste storage - hazardous, restricted solid, liquid, clinical and related waste and asbestos waste | Any listed waste type stored |

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

| Premises Details |
|---|
| TOMAGO ALUMINIUM COMPANY |
| 576-638 TOMAGO ROAD |
| TOMAGO |
| NSW 2322 |
| LOT 3232 DP 618103, LOT 301 DP 634536, LOT 3 DP 808004, LOT 104 DP 1125747, LOT 202 DP 1173564 |
| EXCLUDES AREA LEASED TO REGAIN SERVICES PTY LTD SHOWN ON THE PLAN TITLED "SITE LAYOUT AND SERVICES", DRAWING NUMBER 0010M22-001 (ON EPA FILE LIC07/2263-06). |

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

| Ancillary Activity |
|--------------------------|
| Sewage Treatment Systems |

Environment Protection Licence

Licence - 6163



A4 Information supplied to the EPA

- A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

- P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

| <i>Air</i> | | | |
|------------------------|--|--|---|
| EPA identification no. | Type of Monitoring Point | Type of Discharge Point | Location Description |
| 1 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Line 1 West |
| 2 | Discharge to Air Air emissions monitoring | Discharge to Air Air emissions monitoring | Dry scrubber stack - Line 1 East |
| 3 | Discharge to Air Air emissions monitoring | Discharge to Air Air emissions monitoring | Dry scrubber stack - Line 2 West |
| 4 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Line 2 East |
| 5 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Anode Plant 1 |
| 6 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Anode Plants 2 & 3 |
| 7 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Line 3 West |
| 8 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Line 3 East |
| 9 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Dry scrubber stack - Line 1 & 2 Extension |
| 10 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom A Manifold |
| 11 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom B Manifold |
| 12 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom C Manifold |

Environment Protection Licence



Licence - 6163

| | | | |
|----|--|--|---|
| 13 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom D Manifold |
| 14 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom E Manifold |
| 15 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Roof vent - Potroom F Manifold |
| 18 | Ambient air monitoring Weather monitoring | | Sulphur dioxide monitoring and meteorological monitoring station at the premises |
| 20 | Ambient air monitoring | | Ambient fluoride monitor identified as Site 80 - HWC Offices |
| 21 | Ambient air monitoring | | Ambient fluoride monitor identified as Site 84 - 6 Old Punt Road Tomago, 1.25km West of the smelter |
| 22 | Ambient air monitoring | | Ambient fluoride and sulphur dioxide monitors identified as Site 179 - Lot D Tomago Road (374 Tomago Road, Tomago) 1.75km East of the smelter |
| 23 | Ambient air monitoring | | Ambient fluoride monitor identified as Site 188 - Woodbury, 5km Northwest of the smelter |
| 24 | Ambient air monitoring | | Ambient fluoride and sulphur dioxide monitors identified as Site 181 - The Farm, 1.5km Southeast of the smelter |
| 25 | Ambient air monitoring | | Ambient fluoride monitor identified as Site 122 - Botanic Gardens, 2.5km North of the smelter |
| 26 | Ambient air monitoring | | Ambient fluoride monitor identified as Site 83 - Detention Centre, 1km South of the smelter |
| 27 | Ambient air monitoring | | Ambient fluoride and sulphur dioxide monitor identified as Site 85 - Pacific Highway Tomago, 1.5km Northwest of the smelter |
| 30 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Total smelter emissions, sum of point sources |
| 31 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Emission from the pitch circuit stack of No. 1 Paste Plant |
| 32 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Emissions from the proportioning circuit stack of the No. 1 Paste Plant |
| 33 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Emission from the pitch circuit stack of No. 2 Paste Plant |
| 34 | Discharge to air Air emissions monitoring | Discharge to air Air emissions monitoring | Emissions from the proportioning circuit stack of the No. 2 Paste Plant |
| 36 | Ambient air monitoring | | Ambient sulphur dioxide monitoring at Laverick Avenue, Tomago (378600E 6467200N) |
| 38 | Discharge to air Air emission monitoring | Discharge to air Air emission monitoring | Deline/Regain Spent Potliner Dust Filter |

P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Environment Protection Licence

Licence - 6163



Water and land

| EPA Identification no. | Type of Monitoring Point | Type of Discharge Point | Location Description |
|------------------------|--|--|--|
| 16 | Discharge to waters Discharge quality monitoring Volume monitoring | Discharge to waters Discharge quality monitoring Volume monitoring | The point of discharge to the Hunter River from the stormwater pond ref Drawing 0040 0C0 500 |
| 17 | Discharge to utilisation area Effluent quality and volume monitoring | Discharge to utilisation area Effluent quality and volume monitoring | Effluent Utilisation Area on the premises. |
| 35 | Discharge quality monitoring | | Overflow from first flush system |

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Load limits

L2.1 The actual load of an assessable pollutant discharged from the premises during the reporting period must not exceed the load limit specified for the assessable pollutant in the table below.

Note: An assessable pollutant is a pollutant which affects the licence fee payable for the licence.

L2.2 The actual load of an assessable pollutant must be calculated in accordance with the relevant load calculation protocol.

| Assessable Pollutant | Load limit (kg) |
|---------------------------|-----------------|
| Coarse Particulates (Air) | 192045.00 |
| Fine Particulates (Air) | 174685.00 |
| Fluoride (Air) | 298000.00 |
| Lead (Air) | |
| Nitrogen Oxides (Air) | 186620.00 |
| Sulfur Oxides (Air) | 11900000.00 |

Note: On 7 December 2009, the Minister for Planning granted development consent to authorize a continued increase in aluminium production at the smelter from 530,000 tpa to 575,000 tpa. To protect air quality it

Environment Protection Licence



Licence - 6163

was negotiated at this time that the maximum annual Fluoride load limit for the premises must not exceed 298 tpa.

L3 Concentration limits

- L3.1 For each monitoring/discharge point or utilisation area specified in the table\&s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L3.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L3.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\&s.
- L3.4 Air Concentration Limits

POINT 1,2,3,4,5,6,7,8,9

| Pollutant | Units of measure | 100 percentile concentration limit | Reference conditions | Oxygen correction | Averaging period |
|-----------------------|----------------------------|------------------------------------|-----------------------|-------------------|------------------|
| Total Solid Particles | milligrams per cubic metre | 50 | dry, 273 K, 101.3 kPa | | 1 hour |
| Nitrogen Oxides | grams per cubic metre | 2.0 | dry, 273 K, 101.3 kPa | | 1 hour |

POINT 30

| Pollutant | Units of measure | 100 percentile concentration limit | Reference conditions | Oxygen correction | Averaging period |
|-----------|---|------------------------------------|-----------------------|-------------------|------------------|
| Fluoride | kilograms of Fluoride per tonne of Aluminium produced | 0.8 | dry, 273 K, 101.3 kPa | | |

POINT 31,32,33,34

| Pollutant | Units of measure | 100 percentile concentration limit | Reference conditions | Oxygen correction | Averaging period |
|-----------------------|----------------------------|------------------------------------|-----------------------|-------------------|------------------|
| Total Solid Particles | milligrams per cubic metre | 50 | dry, 273 K, 101.3 kPa | | 1 hour |
| Benzo(a)pyrene | milligrams per cubic metre | 0.05 | dry, 273 K, 101.3 kPa | | 1 hour |
| Total PAHs | milligrams per cubic metre | 2.0 | dry, 273 K, 101.3 kPa | | 1 hour |

Environment Protection Licence

Licence - 6163



POINT 38

| Pollutant | Units of measure | 100 percentile concentration limit | Reference conditions | Oxygen correction | Averaging period |
|-----------------------|----------------------------|------------------------------------|----------------------|-------------------|------------------|
| Total Solid Particles | milligrams per cubic metre | 20 | | | |
| Fine Particulates | milligrams per cubic metre | 10 | | | |

L3.5 Water and/or Land Concentration Limits

POINT 16

| Pollutant | Units of Measure | 50 percentile concentration limit | 90 percentile concentration limit | 3DGM concentration limit | 100 percentile concentration limit |
|------------------------|----------------------|-----------------------------------|-----------------------------------|--------------------------|------------------------------------|
| Fluoride | milligrams per litre | | | | 40 |
| pH | pH | | | | 6.5-8.5 |
| Total suspended solids | milligrams per litre | | | | 50 |

L4 Volume and mass limits

- L4.1 For each discharge point or utilisation area specified below (by a point number), the volume/mass of:
- liquids discharged to water; or;
 - solids or liquids applied to the area;
- must not exceed the volume/mass limit specified for that discharge point or area.

| Point | Unit of Measure | Volume/Mass Limit |
|-------|----------------------|-------------------|
| 16 | kilolitres per day | 4320 |
| 17 | millimetres per week | 30 |

- L4.2 The discharge limit for Point 16 in condition L4.1 may be exceeded under wet weather conditions provided that all practical measures are taken to minimise additional pollution caused by the wet weather.

- L4.3 Total fluoride emissions from the smelter must not exceed:

The equivalent of 0.8 kilogram of total fluoride per tonne of aluminium produced as a monthly average.

Environment Protection Licence

Licence - 6163



The equivalent of 0.56 kilograms of total fluoride per tonne of aluminium produced as an annual average.

and

The equivalent of 0.6 kilograms of total fluoride per tonne of aluminium produced, as an annual average, for more than one year out of every five years.

L5 Waste

L5.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled “Waste” and meeting the definition, if any, in the column titled “Description” in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled “Activity” in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled “Other Limits” in the table below.

This condition does not limit any other conditions in this licence.

| Code | Waste | Description | Activity | Other Limits |
|------|---|---|---|--------------|
| NA | Dross | | Metallurgical Activities | NA |
| NA | Spent Pot Lining | | Metallurgical Activities | NA |
| NA | Oily Water | | Metallurgical Activities | NA |
| NA | Filter Bags | | Metallurgical Activities | NA |
| NA | General or Specific exempted waste | Waste that meets all the conditions of a resource recovery exemption under Clause 51A of the Protection of the Environment Operations (Waste) Regulation 2005 | As specified in each particular resource recovery exemption | NA |
| NA | Waste | Any waste received on site that is below licensing thresholds in Schedule 1 of the POEO Act, as in force from time to time | - | NA |
| NA | Aluminium Casting Waste and By-products | | Metallurgical Activities | NA |
| NA | Aluminium Smelter Maintenance Waste | | Metallurgical Activities | NA |
| NA | Waste Water and Sludges | | Metallurgical Activities | NA |
| NA | Smelter Waste | Smelter waste generated on the premises | Metallurgical Activities | NA |
| NA | Smelter Waste | Smelter wastes generated on the | Waste processing (non-thermal treatment) | NA |

Environment Protection Licence

Licence - 6163

| premises of Hydro Kurri Kurri Smelter Pty Ltd. | | | |
|---|--|--------------------------|----|
| NA | Carbon Dust | Metallurgical Activities | NA |
| NA | Oil Absorbent Materials | Metallurgical Activities | NA |
| NA | Pitch Waste | Metallurgical Activities | NA |
| NA | Iron Contaminated Bath | Metallurgical Activities | NA |
| NA | Aluminium Potline Wastes and By-products | Metallurgical Activities | NA |
| NA | Electrode Manufacture Waste and By-products | Metallurgical Activities | NA |

L5.2 Asbestos.

The licensee must comply with the conditions as specified in this licence or where no specific conditions are outlined in this licence, the licensee must comply with the Protection of the Environment Operations (Waste) Regulation 2005.

L6 Potentially offensive odour

L6.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

L7 Other limit conditions

L7.1 Polychlorinated Biphenyls (PCBs)

The licensee must comply with the conditions as specified in this licence or where no specific conditions are outlined in this licence, the licensee must comply with the "Chemical Control Order in Relation to Materials and Wastes Containing Polychlorinated Biphenyl, 1997".

L7.2 Sulphur Content of Pitch

The sulphur content of the pitch used in anode manufacture must not exceed 0.5% by weight.

L7.3 Sulphur Content of Coke

The sulphur content of the coke used in anode manufacture must not exceed 3.5 % by weight.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.
This includes:

Environment Protection Licence

Licence - 6163



- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
- b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
 - a) must be maintained in a proper and efficient condition; and
 - b) must be operated in a proper and efficient manner.

O3 Dust

- O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.
- O3.2 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.
- O3.3 Trucks entering and leaving the premises that are carrying loads of dust generating materials must have their loads covered at all times, except during loading and unloading.

O4 Effluent application to land

- O4.1 The quantity of effluent/solids applied to the utilisation area must not exceed the capacity of the area to effectively utilise the effluent/solids.

For the purposes of this condition, 'effectively utilise' includes the use of the effluent/solids for pasture or crop production, as well as the ability of the soil to absorb the nutrient, salt, hydraulic load and organic material.

- O4.2 Effluent application to the utilisation area(s) must not occur in a manner that causes surface run-off from the utilisation area(s).
- O4.3 Spray from effluent application to the utilisation area(s) must not drift beyond the boundary of the utilisation area(s) to which it has been applied.

O5 Emergency response

- O5.1 The licensee must maintain, and implement as necessary, a current Pollution Incident Response Management Plan (PIRMP) for the premises. The PIRMP must be developed in accordance with the requirements in Part 5.7A of the *Protection of the Environment Operations* (POEO) Act 1997 and POEO regulations. The licensee must keep the incident response plan on the premises at all times. The incident response plan must document systems and procedures to deal with all types of incidents (e.g. spills, explosions or fire) that may occur at the premises or that may be associated with activities that occur at

Environment Protection Licence



Licence - 6163

the premises and which are likely to cause harm to the environment. The PIRMP must be tested at least annually or following a pollution incident.

- O5.2 The licensee must nominate to the EPA a representative of the licensee that is available at all times and is capable of providing immediate assistance or response during emergencies or any other incidents at the premises. The name of the nominated representative and their contact details, including their telephone number, must be current at all times. The nomination and contact details must be provided to the EPA's Regional Manager- Hunter at hunter.region@epa.nsw.gov.au or to PO Box 488G, Newcastle NSW 2300.

O6 Processes and management

- O6.1 All above ground tanks containing material that is likely to cause environmental harm must be bunded or have an alternative spill containment system in place.

O6.2 Bunds must:

- a) have walls and floors constructed of impervious materials;
- b) be of sufficient capacity to contain 110% of the volume of the tank (or 110% volume of the largest tank where a group of tanks are installed);
- c) have floors graded to a collection sump; and
- d) not have a drain valve incorporated in the bund structure,

or be constructed and operated in a manner that achieves the same environmental outcome.

O7 Waste management

- O7.1 The licensee must ensure that any liquid and/or non liquid waste for generating, processing, storage, resource recovery or disposal at the premises is assessed and classified in accordance with EPA Waste Classification Guidelines as in force from time to time.
- O7.2 The licensee must ensure that waste identified for recycling is stored separately from other waste.
- O7.3 All above ground tanks containing material that is likely to cause environmental harm must be bunded or have an alternative spill containment system in place.
- O7.4 The licensee must ensure that suitable measures (e.g. high/low alarms, control valves with interlock control, one way valves) are installed on all tanks, ponds or clarifiers and associated pipes and hoses to prevent the spillage of waste.
- O7.5
- a) Aluminium smelter waste containing fluoride and/or cyanide must be kept on the Premises in such a manner that no leachate nor wind borne material can escape from the Premises and in the manner detailed in the Licensee's Environmental Impact Statement of 21 August, 1983.
 - b) The storage site for the aluminium smelter waste must be maintained in good order and condition.
 - c) The Premises must be provided with physical security to prevent unauthorised access to the aluminium smelter waste containing leachable fluoride and/or leachable cyanide.

Environment Protection Licence

Licence - 6163



d) No visible dust is to be generated to atmosphere from any storage of aluminium smelter waste containing fluoride or cyanide. To avoid any uncertainty this condition does not apply to waste stored within buildings but does apply to any dust generated from any storage buildings to atmosphere external to the building.

O7.6 a) Aluminium smelter waste containing fluoride and/or cyanide may be processed for the purpose of research into, and development of, environmentally acceptable methods for reducing the levels of leachable fluoride and/or leachable cyanide in such wastes.

b) Aluminium smelter waste containing fluoride and/or cyanide may be processed on the Premises, for the recovery of components, the making of other products or to reduce the leachable fluoride and/or leachable cyanide content.

c) Aluminium smelter waste containing fluoride and/or cyanide may be processed on the Premises, by treatment with any waste, with water, or, other with any material so as to facilitate handling and, except for wastes with leachable fluoride and/or leachable cyanide, to facilitate disposal.

O7.7 Fluoridated smelter wastes deposited at the Tomago Aluminium Company Pty Ltd Solid Waste Class 2 landfill at Wallaroo must be immobilised with gypsum to reduce leachable fluoride to less than 150 mg/l prior to being transported from the premises.

For determining leachable fluoride in approved smelter wastes, distilled water is the approved leachant.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

M1.2 All records required to be kept by this licence must be:

- in a legible form, or in a form that can readily be reduced to a legible form;
- kept for at least 4 years after the monitoring or event to which they relate took place; and
- produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- the date(s) on which the sample was taken;
- the time(s) at which the sample was collected;
- the point at which the sample was taken; and
- the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified

Environment Protection Licence



Licence - 6163

in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 1,2,3,4,7,8,9

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------------------|---|---------------------|-------------------------|
| Gaseous fluoride | milligrams per cubic metre | Continuous | In line instrumentation |
| Sulphur dioxide | milligrams per cubic metre | Quarterly | TM-4 |
| Total Fluoride | kilograms of Fluoride per tonne of Aluminium produced | Special Frequency 1 | TM-9 |
| Total Solid Particles | milligrams per cubic metre | Yearly | TM-15 |

POINT 5,6

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------------------|---|---------------------|-------------------------|
| Gaseous fluoride | milligrams per cubic metre | Continuous | In line instrumentation |
| Nitrogen Oxides | grams per cubic metre | Yearly | TM-11 |
| Sulphur dioxide | milligrams per cubic metre | Yearly | TM-4 |
| Total Fluoride | kilograms of Fluoride per tonne of Aluminium produced | Special Frequency 1 | TM-9 |
| Total PAHs | milligrams per cubic metre | Yearly | OM-6 |
| Total Solid Particles | milligrams per cubic metre | Yearly | TM-15 |

POINT 10,11,12,13,14,15

| Pollutant | Units of measure | Frequency | Sampling Method |
|----------------|---|-----------|-----------------|
| Total Fluoride | kilograms of Fluoride per tonne of Aluminium produced | Monthly | TM-10 |

POINT 18,22,24,27,36

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------------|---------------------------|------------|-----------------|
| Sulphur dioxide | parts per hundred million | Continuous | AM-20 |

POINT 20,21,22,23,24,25,26,27

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------|------------------|-----------|-----------------|
|-----------|------------------|-----------|-----------------|

Environment Protection Licence



Licence - 6163

| | | | |
|----------|----------------------------|--------|------|
| Fluoride | micrograms per cubic metre | Weekly | AM-8 |
|----------|----------------------------|--------|------|

POINT 31,32,33,34

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------------------|----------------------------|-----------|-----------------|
| Total PAHs | milligrams per cubic metre | Yearly | OM-6 |
| Total Solid Particles | milligrams per cubic metre | Yearly | TM-15 |

POINT 38

| Pollutant | Units of measure | Frequency | Sampling Method |
|-----------------------|----------------------------|-----------|-----------------|
| Fine Particulates | milligrams per cubic metre | Yearly | OM-5 |
| Total Solid Particles | milligrams per cubic metre | Yearly | TM-15 |

M2.3 Water and/ or Land Monitoring Requirements**POINT 16**

| Pollutant | Units of measure | Frequency | Sampling Method |
|----------------------------------|-----------------------------|----------------------------|-----------------|
| Conductivity | microsiemens per centimetre | Daily during any discharge | Grab sample |
| Fluoride | milligrams per litre | Daily during any discharge | Grab sample |
| pH | pH | Daily during any discharge | Grab sample |
| Polycyclic aromatic hydrocarbons | milligrams per litre | Each overflow event | Grab sample |
| Total suspended solids | milligrams per litre | Daily during any discharge | Grab sample |
| TRH | milligrams per litre | Each overflow event | Grab sample |

POINT 17

| Pollutant | Units of measure | Frequency | Sampling Method |
|---------------------------|----------------------|-----------|-----------------|
| Biochemical oxygen demand | milligrams per litre | Quarterly | Grab sample |
| Fluoride | milligrams per litre | Weekly | Grab sample |
| pH | pH | Weekly | Grab sample |
| Total suspended solids | milligrams per litre | Quarterly | Grab sample |

POINT 35

Environment Protection Licence

Licence - 6163



| Pollutant | Units of measure | Frequency | Sampling Method |
|----------------------------------|----------------------|---------------------|-----------------|
| Fluoride | milligrams per litre | Each overflow event | Grab sample |
| pH | pH | Each overflow event | Grab sample |
| Polycyclic aromatic hydrocarbons | milligrams per litre | Each overflow event | Grab sample |
| TRH | milligrams per litre | Each overflow event | Grab sample |

M2.4 For the purposes of the tables above, Special Frequency 1 mean samples are to be collected and analysed twice per quarter.

M2.5 For the purposes of sampling at Point 16, daily sampling means samples collected at a minimum of twelve hourly intervals during any discharge event.

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Testing methods - load limits

M4.1

Note: Division 3 of the *Protection of the Environment Operations (General) Regulation 2009* requires that monitoring of actual loads of assessable pollutants listed in L2.2 must be carried out in accordance with the relevant load calculation protocol set out for the fee-based activity classification listed in the Administrative Conditions of this licence.

Environment Protection Licence

Licence - 6163



M5 Environmental monitoring

- M5.1 The licensee must conduct a monitoring program capable of measuring the environmental impact of emissions from the smelter on the surrounding environment.
- M5.2 The licensee must maintain a list of the monitoring sites and sampling frequency used to assess the impact of the smelter on surface water, groundwater, native vegetation and a map showing the locations of the smelter and the monitoring sites used.
- M5.3 Copies of the list(s) of monitoring sites and the map(s) showing their locations must be presented as part of the licensee's annual report.
- M5.4 Copies of the list of monitoring sites and the map showing their locations must be made available to any authorised officer of the EPA who ask to see them.
- M5.5 Data must be presented in time series that allows year to year comparison.
- M5.6 The environmental monitoring program must include the following:
- a) The licensee must monitor fluoride levels in native vegetation within 10 kilometres of the smelter. Monitoring results must be reported every two years (each odd numbered year).
 - b) The licensee must monitor fluoride and visual assessment of foliar damage during the growing season at commercial orchards, vineyards and market gardens within 10 kilometres of the smelter. Monitoring results must be reported every two years (each odd numbered year).
 - c) The licensee must monitor fluoride levels in pasture grasses and forage crops within 10 kilometres of the smelter. Monitoring results must be reported every two years (each odd numbered year).
 - d) The licensee must monitor fluoride, pH and conductivity levels of surface waters within 16.5 kilometres of the smelter. Monitoring results must be reported annually.
 - e) The licensee must monitor fluoride pH and conductivity levels of groundwaters within 16.5 kilometres of the smelter. Monitoring results must be reported annually.

M5.7 Ecological Monitoring

The licensee must undertake a program of ecosystem monitoring relevant to the discharge of atmospheric emissions. This program must include an ecological study of the major ecosystems within the influence of the smelter to the satisfaction of the EPA.

The ecological study must include an assessment of vegetation species composition and vigour.

The monitoring and the results of the monitoring must be reported every two years (each odd numbered year).

Environment Protection Licence

Licence - 6163

M6 Weather monitoring

M6.1 For each monitoring point specified in the table below the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1. The licensee must use the sampling method, units of measure, averaging period and sample at the frequency, specified opposite in the other columns.

Point 18

| Parameter | Units of Measure | Frequency | Averaging Period | Sampling Method |
|----------------------------|------------------------|------------|------------------|-----------------|
| Ambient temperature at 5m | Degrees Celsius | Continuous | 1 hour | AM-4 |
| Ambient temperature at 30m | Degrees Celsius | Continuous | 1 hour | AM-4 |
| Humidity | Percentage | Continuous | 1 hour | AM-4 |
| Rainfall | Millimetres | Continuous | 1 hour | AM-4 |
| Sigma theta at 10m | Degrees | Continuous | 15 minutes | AM-2 & AM-4 |
| Solar radiation at 10m | Watts per square metre | Continuous | 1 hour | AM-2 & AM-4 |
| Wind direction at 10m | Degrees | Continuous | 15 minutes | AM-2 & AM-4 |
| Wind speed at 10m | Metres per second | Continuous | 15 minutes | AM-2 & AM-4 |
| Wind direction at 30m | Degrees | Continuous | 15 minutes | AM-2 & AM-4 |
| Wind speed at 30m | Metres per second | Continuous | 15 minutes | AM-2 & AM-4 |
| Additional requirements | | | | |
| Siting | | | | AM-1 & AM-4 |
| Measurement | | | | AM-2 & AM-4 |

M7 Recording of pollution complaints

M7.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M7.2 The record must include details of the following:

- the date and time of the complaint;
- the method by which the complaint was made;
- any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- the nature of the complaint;
- the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and

Environment Protection Licence



Licence - 6163

f) if no action was taken by the licensee, the reasons why no action was taken.

M7.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M7.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M8 Telephone complaints line

M8.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M8.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M8.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M9 Requirement to monitor volume or mass

M9.1 For each discharge point or utilisation area specified below, the licensee must monitor:

- the volume of liquids discharged to water or applied to the area;
- the mass of solids applied to the area;
- the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 16

| Frequency | Unit of Measure | Sampling Method |
|-----------|--------------------|---------------------|
| Daily | kilolitres per day | No method specified |

POINT 17

| Frequency | Unit of Measure | Sampling Method |
|-----------|----------------------|---------------------|
| Weekly | millimetres per week | No method specified |

POINT 35

| Frequency | Unit of Measure | Sampling Method |
|-----------------------------|--------------------|---------------------------------|
| Continuous during discharge | kilolitres per day | Weir structure and level sensor |

M9.2 For the purposes of the table/s above Special Frequency 1 and Measure 1 means:

- Measuring the total flow to sewage treatment plant daily in kL/day;
- Measuring the available capacity in stormwater detention basin three times weekly in kilolitres; and
- Measuring the volume of effluent applied to the irrigation area weekly in mm/week.

Environment Protection Licence



Licence - 6163

- M9.3 Mass emissions of fluoride are to be calculated from fluoride concentration and production data for primary and secondary emissions for each pot room group and the anode plant monthly. The relevant aluminium production figures for each pot room group based on total daily aluminium production from the smelter and the calculated aluminium equivalent corresponding to anode production used in the above calculation must be supplied to the satisfaction of the EPA.

6 Reporting Conditions

R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
1. a Statement of Compliance,
 2. a Monitoring and Complaints Summary,
 3. a Statement of Compliance - Licence Conditions,
 4. a Statement of Compliance - Load based Fee,
 5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
 6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
 7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

- R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

- R1.3 Where this licence is transferred from the licensee to a new licensee:
- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
 - b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

- R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:
- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
 - b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

- R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a

Environment Protection Licence



Licence - 6163

transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

- R1.6 Where the licensee is unable to complete a part of the Annual Return by the due date because the licensee was unable to calculate the actual load of a pollutant due to circumstances beyond the licensee's control, the licensee must notify the EPA in writing as soon as practicable, and in any event not later than the due date. The notification must specify:
- a) the assessable pollutants for which the actual load could not be calculated; and
 - b) the relevant circumstances that were beyond the control of the licensee.
- R1.7 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.8 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:
- a) the licence holder; or
 - b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- a) the cause, time and duration of the event;
 - b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - d) the name, address and business hours telephone number of every other person (of whom the licensee

Environment Protection Licence

Licence - 6163



is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;

e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;

f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and

g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions

R4.1 Monthly Emission and Pollution Control Equipment Reporting

Within four weeks of the end of each month the stack and roof vent emission monitoring results for that month shall be forwarded to the EPA. This data must be presented as a time series that shows the level of emission and the trend.

R4.2 The licensee must monitor and record the availability of pollution control equipment installed on the premises and report the results this monitoring as part of the monthly emission report.

The report must include the date, time, duration and reason for every outage of pollution control equipment, a cumulative total of outage times for each piece of equipment during the licence period and details of any action taken to prevent a recurrence of the pollution control equipment outage.

Note: The pollution control equipment specified in this requirement includes all scrubber systems installed on Points 1,2,3,4,5,6,7, 8 and 9 for the purpose of removing fluoride, solid particles and polycyclic aromatic hydrocarbons from emissions to atmosphere.

Note: For the purpose of this condition an outage means any period of time exceeding 20 minutes when the pollution control equipment is not available for its intended purpose, for any reason.

7 General Conditions

G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Environment Protection Licence

Licence - 6163

G2 Other general conditions

G2.1 Completed Programs

| Program | Description | Completed Date |
|--|---|------------------|
| PRP 1 - Sulphur Dioxide Investigations | Sulphur Dioxide Investigations Report. Find sources of & minimise Sulphur dioxide emissions.(*) | 29-May-2013 |
| PRP 2 - Noise Auditing and Reporting | PRP 2 - Noise Auditing and Reporting for Production Increase. Investigate noise impacts. (+) | 05-December-2014 |
| PRP 3 - Waste Management plan | PRP 3 - Waste Management plan. | 30-March-2011 |
| PRP 4 - Sulphur Dioxide Exceedances | Investigations into Exceedances of EPA Sulphur Dioxide Impact Assessment Criteria at Ambient Monitors. Implementation of measures to resolve issues | 02-July-2012 |
| PRP 5 - Fluoride in Surface and Ground Water | Investigate and resolve elevated Fluoride concentrations from discharges from points 16 and 35. | 31-March-2013 |
| PRP 6 - Install Pressure Transducers on Alumina Silos | Install pressure transducers on all alumina silos | 18-March-2013 |
| PRP 8 - Investigation into the disposal of geobags | Investigation into to long term storage/disposal of geotextile bags of dredged material from the first flush pond. | 29-March-2018 |
| PRP 9 - Investigation of pollutants in stormwater | Investigation of the sources of pollutants in stormwater runoff from the premises. | 29-June-2018 |
| PRP 10 - First flush pond investigation | Investigation of options to optimise and/or improve the operation and management of the first flush pond system to reduce the concentration of pollutants in waters discharged from the premises. | 29-June-2018 |
| PRP 11 - Investigation of stormwater treatment options | Investigation of feasible and reasonable options for the treatment of stormwater runoff from the premises to reduce pollutant concentrations in waters discharging the premises. | 29-June-2018 |

Environment Protection Licence

Licence - 6163

Dictionary

General Dictionary

| | |
|--|--|
| 3DGM [in relation to a concentration limit] | Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples |
| Act | Means the Protection of the Environment Operations Act 1997 |
| activity | Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997 |
| actual load | Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009 |
| AM | Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> . |
| AMG | Australian Map Grid |
| anniversary date | The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act. |
| annual return | Is defined in R1.1 |
| Approved Methods Publication | Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009 |
| assessable pollutants | Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009 |
| BOD | Means biochemical oxygen demand |
| CEM | Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> . |
| COD | Means chemical oxygen demand |
| composite sample | Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume. |
| cond. | Means conductivity |
| environment | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| environment protection legislation | Has the same meaning as in the Protection of the Environment Administration Act 1991 |
| EPA | Means Environment Protection Authority of New South Wales. |
| fee-based activity classification | Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009. |
| general solid waste (non-putrescible) | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |

Environment Protection Licence

Licence - 6163

| | |
|--|--|
| flow weighted composite sample | Means a sample whose composites are sized in proportion to the flow at each composites time of collection. |
| general solid waste (putrescible) | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |
| grab sample | Means a single sample taken at a point at a single time |
| hazardous waste | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |
| licensee | Means the licence holder described at the front of this licence |
| load calculation protocol | Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009 |
| local authority | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| material harm | Has the same meaning as in section 147 Protection of the Environment Operations Act 1997 |
| MBAS | Means methylene blue active substances |
| Minister | Means the Minister administering the Protection of the Environment Operations Act 1997 |
| mobile plant | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |
| motor vehicle | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| O&G | Means oil and grease |
| percentile [in relation to a concentration limit of a sample] | Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence. |
| plant | Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles. |
| pollution of waters [or water pollution] | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| premises | Means the premises described in condition A2.1 |
| public authority | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| regional office | Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence |
| reporting period | For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act. |
| restricted solid waste | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |
| scheduled activity | Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997 |
| special waste | Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997 |
| TM | Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> . |

Environment Protection Licence



Licence - 6163

| | |
|-------------------------|---|
| TSP | Means total suspended particles |
| TSS | Means total suspended solids |
| Type 1 substance | Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements |
| Type 2 substance | Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements |
| utilisation area | Means any area shown as a utilisation area on a map submitted with the application for this licence |
| waste | Has the same meaning as in the Protection of the Environment Operations Act 1997 |
| waste type | Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste |

Mr Grahame Clarke

Environment Protection Authority

(By Delegation)

Date of this edition: 20-April-2000

Environment Protection Licence



Licence - 6163

End Notes

- 1 Licence varied by notice V/M upgrade, issued on 08-Jul-2000, which came into effect on 08-Jul-2000.
- 2 Licence varied by notice 1014382, issued on 25-Jan-2002, which came into effect on 19-Feb-2002.
- 3 Licence varied by notice 1016532, issued on 18-Apr-2002, which came into effect on 13-May-2002.
- 4 Licence varied by notice 1018042, issued on 05-Nov-2003, which came into effect on 30-Nov-2003.
- 5 Licence varied by notice 1041989, issued on 12-Nov-2004, which came into effect on 07-Dec-2004.
- 6 Licence varied by notice 1044367, issued on 08-Mar-2005, which came into effect on 02-Apr-2005.
- 7 Licence varied by notice 1056839, issued on 17-Mar-2006, which came into effect on 11-Apr-2006.
- 8 Licence varied by notice 1061531, issued on 31-Aug-2006, which came into effect on 31-Aug-2006.
- 9 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 10 Licence varied by notice 1097536, issued on 24-Apr-2009, which came into effect on 24-Apr-2009.
- 11 Licence varied by notice 1102846, issued on 11-Aug-2009, which came into effect on 11-Aug-2009.
- 12 Licence varied by notice 1107277, issued on 01-Jul-2010, which came into effect on 01-Jul-2010.
- 13 Licence varied by notice 1119919, issued on 11-Feb-2011, which came into effect on 11-Feb-2011.
- 14 Licence varied by notice 1501708 issued on 26-Oct-2011
- 15 Licence varied by notice 1504909 issued on 15-May-2012
- 16 Licence varied by notice 1509839 issued on 05-Nov-2012
- 17 Licence varied by notice 1517795 issued on 30-Oct-2014
- 18 Licence format updated on 04-Nov-2016
- 19 Licence varied by notice 1558503 issued on 18-Dec-2017
- 20 Licence varied by notice 1562052 issued on 16-Mar-2018

Environment Protection Licence

Licence - 6163



21 Licence varied by notice 1571299 issued on 24-Oct-2018
