Licence - 12264

Licence Details Number: Anniversary Date:

12264 23-December

Licensee

CRISTAL MINING AUSTRALIA LIMITED

PO BOX 444

BROKEN HILL NSW 2880

Premises

GINKGO MINERAL SANDS PROJECT NOB ROAD

WENTWORTH NSW 2648

Scheduled Activity

Crushing, Grinding or Separating

Metallurgical activities

Mining for Minerals

Fee Based Activity

Crushing, grinding or separating

Metal waste generation

Mining for minerals

Region

South West - Griffith Suites 7-8, Level 1 Griffith City Plaza, 130-140 Banna Avenue GRIFFITH NSW 2680 Phone: (02) 6969 0700 Fax: (02) 6969 0710

PO Box 397 GRIFFITH


NSW 2680

E P A

> 100000-500000 T processed
> 100 T generated or stored
> 5000000 T produced

Scale

Licence - 12264





Licence - 12264



R3 Written report	14
7 GENERAL CONDITIONS	15
G1 Copy of licence kept at the premises or plant	15
DICTIONARY	16
General Dictionary 1	

Licence - 12264



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Licence - 12264



The EPA publication "A Guide to Licensing" contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

CRISTAL MINING AUSTRALIA LIMITED

PO BOX 444

BROKEN HILL NSW 2880

subject to the conditions which follow.

Licence - 12264



1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Crushing, Grinding or Separating	Crushing, grinding or separating	> 100000 - 500000 T processed
Metallurgical activities	Metal waste generation	> 100 T generated or stored
Mining for Minerals	Mining for minerals	> 5000000 T produced

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
GINKGO MINERAL SANDS PROJECT
NOB ROAD
WENTWORTH
NSW 2648
ML 1504

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Chemical storage
Sewage treatment
Waste disposal (application to land)
Waste processing (non-thermal treatment)

A4 Information supplied to the EPA

Licence - 12264



A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to: a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and

b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

		Air	
EPA identi- fication no.	Type of Monitoring Point	Type of Discharge Point	Location Description
14	Dust monitoring		Identified as DG03 in figure 1 on map "Location of Dust Deposit Gauges" received by the EPA on 30/03/06 and in EPA file 235579
15	Dust monitoring		Identified as DG04 in figure 1 on map "Location of dust Deposit Gauges" received by the EPA on 30/03/06 and in EPA file 235579
16	Dust monitoring		Identified as DG05 in figure 1 on map "Location of Dust Deposit Gauges" received by the EPA on 30/30/06 and in EPA file 235579
17	Dust monitoring		Identified as DG06 in figure 1 on map "Location of dust Deposit Gauges" received by the EPA on 30/03/06 and in EPA file 235579

- P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.
- P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

		Water and land	
EPA Identi- fication no.	Type of Monitoring Point	Type of Discharge Point	Location Description

Licence - 12264



2 Groundwater monitoring Identified as M2 in figure 7 of map "Local Groundwater Monitoring 305/06 and in EPA hile 235579 3 Groundwater monitoring Identified as M19 in figure 7 of map "Local Groundwater monitoring Sites" received by the EPA on 305/06 and in EPA file 235579 4 Groundwater monitoring Identified as M21 in figure 7 on map "Local Groundwater Monitoring Sites" received by the EPA on 305/06 and in EPA file 235579 6 Groundwater monitoring Identified as M21 in figure 6 on map "Local Groundwater Monitoring Sites" received by the EPA on 305/06 and in EPA file 235579 7 Groundwater monitoring Identified as M24 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 305/06 and in EPA file 235579 9 Groundwater monitoring Identified as Chalky Well in figure 6 on map "Regional Groundwater monitoring Sites" received by the EPA on 306/06 and in EPA file 235579 9 Groundwater monitoring Identified as Grenvale Well in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 306/06 and in EPA file 235579 10 Groundwater monitoring Identified as DLWC 36689 in figure 8 on map "Regional Groundwater Monitoring Sites" received by the EPA on 306/06 and in EPA file 235579 11 Groundwater monitoring Identified as DLWC 36689 in figure 8 on map "Regional Groundwater Monitoring Sites" received by the EPA on 305/06 and in EPA file 235579 12 Groundwater monitoring <			
"Local Groundwater monitoring Sites" received by the EPA on 30/65/06 and in EPA file 235579 4 Groundwater monitoring 1 Identified as Chalky Well in figure 6 on map "Regional Groundwater monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 10 Groundwater monitoring 11 Groundwater monitoring 12 Groundwater monitoring 13 Groundwater monitoring 14 Groundwater monitoring 15 Groundwater monitoring 16 Groundwater monitoring	2	Groundwater monitoring	"Local Groundwater Monitoring Sites" received by the EPA on
map "Local Groundwater Monitoring Sites" received by the EFPA file 235579.6Groundwater monitoringIdentified as M26 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA 305/06 and in EPA file 2355797Groundwater monitoringIdentified as Chalky Well in figure 6 on map "Regional Groundwater monitoring Sites" received by the EPA 305/06 and in EPA file 2355797Groundwater monitoringIdentified as Chalky Well in figure 6 on map "Regional Groundwater monitoring Sites" received by the EPA on 3/05/06 and in EPA file 2355799Groundwater monitoringIdentified as Grenvale Well in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557910Groundwater monitoringIdentified as DLWC 36680 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557911Groundwater monitoringIdentified as DLWC 36670 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557912Groundwater monitoringIdentified as DLWC 36820 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557913Groundwater monitoringIdentified as Telaga Bore in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557913Groundwater monitoringIdentified as Telaga Bore in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579	3	Groundwater monitoring	"Local Groundwater monitoring Sites" received by the EPA on
map "Regional Groundwater Monitoring Sites" received by the EPA 305/06 and in EPA file 2355797Groundwater monitoringIdentified as Chalky Well in figure 6 on map "Regional Groundwater monitoring Sites" received by the EPA on 3/05/06 and in EPA file 	4	Groundwater monitoring	map "Local Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file
on map "Regional Groundwater monitoring Sites" received by the EPA on 3/05/06 and in EPA file 2355799Groundwater monitoringIdentified as Grenvale Well in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 	6	Groundwater monitoring	map "Regional Groundwater Monitoring Sites" received by the EPA 3/05/06 and in EPA file
6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 10 Groundwater monitoring Identified as DLWC 36669 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 11 Groundwater monitoring Identified as DLWC 36670 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 12 Groundwater monitoring Identified as DLWC 36820 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 13 Groundwater monitoring Identified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 13 Groundwater monitoring Identified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file 235579	7	Groundwater monitoring	on map "Regional Groundwater monitoring Sites" received by the EPA on 3/05/06 and in EPA file
6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557911Groundwater monitoringIdentified as DLWC 36670 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557912Groundwater monitoringIdentified as DLWC 36820 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557912Groundwater monitoringIdentified as DLWC 36820 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557913Groundwater monitoringIdentified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file 235579	9	Groundwater monitoring	6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file
6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557912Groundwater monitoring12Identified as DLWC 36820 in figure 6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 23557913Groundwater monitoring13Groundwater monitoring14Identified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file 23557913Groundwater monitoring14Identified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file	10	Groundwater monitoring	6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file
6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file 235579 13 Groundwater monitoring Identified as Trelaga Bore in figure 6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file	11	Groundwater monitoring	6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file
6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file	12	Groundwater monitoring	6 on map "Regional Groundwater Monitoring Sites" received by the EPA on 3/05/06 and in EPA file
	13	Groundwater monitoring	6 on map "Regional Groundwater Monitoring sites" received by the EPA on 3/05/06 and in EPA file

3 Limit Conditions

Environment Protection Authority - NSW Licence version date: 18-Dec-2015

Licence - 12264



L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Waste

- L2.1 The licensee must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by the licence.
- L2.2 This condition only applies to the storage, treatment, processing, reprocessing or disposal of waste at the premises if it requires an environment protection licence.
- L2.3 Waste permitted to be landfilled within the on-site landfill cell:

1. General solid waste (non-putrescible and putrescible) as defined in the Environmental Protection Authority Environmental Guidelines: Solid Waste Landfills (2015), that is generated at the premises.

- L2.4 The total volume of waste disposed of at the on-site landfill cell must not exceed 350 tonnes in any 12 month annual return reporting period.
- L2.5 The on-site solid waste landfill must be constructed, managed and rehabilitated in accordance with the Ginkgo Mineral Sands Mine Waste Management Modification Environmental Assessment August 2015 (DA 251-09-01) and the Environmental Protection Authority Environmental Guidelines: Solid Waste Landfill (2015).
- L2.6 The licensee must ensure that only the following types of waste generated off-site are disposed of at the premises:

Waste permitted to be landfilled within the Ginkgo Mineral Sands Mine void:

1. Waste generated outside the premises from the processing of mineral concentrates produced at the premises, Snapper Mine or the Atlas-Campaspe Mine that is assessed as General Solid Waste (non-putrescible), following the technical procedure outlined in Waste Classification Guidelines, Part 1: Classifying Waste or that is specified as General Solid Waste (non-putrescible), in Schedule 1 of the Protection of the Environment Operations Act 1997; OR

2. Waste generated outside the premises from the processing of mineral concentrates produced at the premises, Snapper Mine or the Atlas-Campaspe Mine that is assessed as hazardous waste on the basis it contains radioactive substances from the premises, Snapper Mine or the Atlas-Campaspe Mine and except for this radioactive component would be classified as General Solid Waste (non-putrescible), following the technical assessment procedure outlined in Waste Classification Guidelines, Part 1: Classifying Waste.

Note: Condition O5 requires waste permitted to be disposed at the premises to be processed into a solid waste prior to being landfilled in the Ginkgo Mineral Sands Mine void.

Licence - 12264



L2.7 The total tonnage of waste disposed of at the Ginkgo Mineral Sands Mine void (the premises) must not exceed 300,000 tonnes/per annum.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner. This includes:

a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and

b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
 - a) must be maintained in a proper and efficient condition; and
 - b) must be operated in a proper and efficient manner.

O3 Dust

- O3.1 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.
- O3.2 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.
- O3.3 Trucks entering and leaving the premises that are carrying loads must be covered at all times, except during loading or unloading or whilst transporting Heavy Metal Concentrate between Snapper and Ginkgo sites only.

O4 Processes and management

Waste Management Plan

- O4.1 The licensee must prepare and implement a Waste Management Plan for the premises.
- Note: The Waste Management Plan must be prepared and implemented to ensure compliance with the conditions of this Licence and relevant environment legislation.

Radiation Managment Plan

Licence - 12264



- O4.2 The licensee must prepare and implement a Radiation Managment Plan for the premises.
- Note: The Radiation Management Plan must be prepared and implemented to ensure compliance with the conditions of this Licence and relevant environmental legislation.

Erosion and Sediment Management Plan

- O4.3 The licensee must prepare and implement a Erosion and Sediment Management Plan for the premises.
- Note: The Erosion and Sediment Management Plan must be prepared and implemented to ensure compliance with the conditions of this Licence and relevant environment legislation.

O5 Waste management

Waste Landfilling at the Ginkgo Mineral Sands Mine void.

O5.1 Waste must be landfilled in a manner to ensure that:

a) the average concentration of radioactive material in the landfill at the premises will not exceed the average concentration of radioactive material in the original orebody;

b) the radiation level of any material deposited to land is no greater than 0.7 microGray per hour measured 1 metre vertically above the surface of the material being deposited, and

c) the topsoil of the landfilled area has an average salinity level no greater than the average salinity level of topsoil in other parts of the premises.

5 Monitoring and Recording Conditions

M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
 - a) in a legible form, or in a form that can readily be reduced to a legible form;
 - b) kept for at least 4 years after the monitoring or event to which they relate took place; and
 - c) produced in a legible form to any authorised officer of the EPA who asks to see them.
- M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:
 - a) the date(s) on which the sample was taken;
 - b) the time(s) at which the sample was collected;
 - c) the point at which the sample was taken; and
 - d) the name of the person who collected the sample.

Licence - 12264



M2 Requirement to monitor concentration of pollutants discharged

- M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:
- M2.2 Air Monitoring Requirements

POINT 14,15,16,17

Pollutant	Units of measure	Frequency	Sampling Method
Particulates - Deposited Matter	grams per square metre per month	Monthly	Australian Standard 3580.10.1-2003

M2.3 Water and/ or Land Monitoring Requirements

POINT 2,3,4,6,7,9,10,11,12,13

Pollutant	Units of measure	Frequency	Sampling Method
Standing Water Level	metres	Quarterly	Inspection
Total dissolved solids	milligrams per litre	Quarterly	Representative sample

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or

b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or

c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

Licence - 12264



Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M4 Recording of pollution complaints

- M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M4.2 The record must include details of the following:
 - a) the date and time of the complaint;
 - b) the method by which the complaint was made;

c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;

d) the nature of the complaint;

e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and

f) if no action was taken by the licensee, the reasons why no action was taken.

- M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

- M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M5.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

6 Reporting Conditions

R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising: a) a Statement of Compliance; and
 - b) a Monitoring and Complaints Summary.

At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Licence - 12264



- R1.3 Where this licence is transferred from the licensee to a new licensee:
 a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
 b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence to the new licensee is granted; and
- R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or

b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

- R1.5 The Annual Return for the reporting period must be supplied to the EPA by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').
- R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.
- R1.7 Within the Annual Return, the Statement of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:a) the licence holder; or
 - b) by a person approved in writing by the EPA to sign on behalf of the licence holder.
- Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.
- Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

- R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.
- R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.
- Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
a) where this licence applies to premises, an event has occurred at the premises; or
b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the

Licence - 12264



carrying out of the activities authorised by this licence,

and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
 - a) the cause, time and duration of the event;

b) the type, volume and concentration of every pollutant discharged as a result of the event;

c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;

d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;

e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;

f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and

g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Licence - 12264



Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
АМ	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Licence - 12264



flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.	
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environmen t Operations Act 1997	
grab sample	Means a single sample taken at a point at a single time	
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997	
licensee	Means the licence holder described at the front of this licence	
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009	
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997	
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997	
MBAS	Means methylene blue active substances	
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997	
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997	
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997	
O&G	Means oil and grease	
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.	
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.	
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997	
premises	Means the premises described in condition A2.1	
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997	
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence	
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.	
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997	
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997	
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997	
тм	Together with a number, means a test method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.	

Licence - 12264



TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr Craig Bretherton

Environment Protection Authority

(By Delegation) Date of this edition: 23-December-2004

End Notes

- 1 Licence varied by notice 1047031, issued on 09-May-2006, which came into effect on 09-May-2006.
- 2 Licence varied by notice 1064535, issued on 12-Oct-2006, which came into effect on 12-Oct-2006.
- 3 Licence varied by notice 1080437, issued on 20-Dec-2007, which came into effect on 20-Dec-2007.
- 4 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 5 Licence varied by notice 1104984, issued on 24-Aug-2009, which came into effect on 24-Aug-2009.
- 6 Licence varied by notice 1506380 issued on 10-Jul-2012
- 7 Licence varied by notice 1529334 issued on 01-Apr-2015
- 8 Licence varied by notice 1536678 issued on 18-Dec-2015