

Licence Variation



Licence - 2094

LIDDELL COAL OPERATIONS PTY. LIMITED
PO BOX 7
SINGLETON NSW 2330

Attention: Mr Ben Desomer

Notice Number 1605868
File Number EF13/3223
Date 24-Feb-2021

NOTICE OF VARIATION OF LICENCE NO. 2094

Why the EPA is writing to you

- A. Liddell Coal Operations Pty. Limited (**Liddell**) holds Environment Protection Licence No. 2094 (**the Licence**) issued under the *Protection of the Environment Operations Act 1997 (the Act)*. The Licence authorises scheduled activities to be carried on at Old New England Highway, Ravensworth Singleton NSW 2330 (**the Premises**).
- B. On 8 February 2021 the Environment Protection Authority (**EPA**) received your application to vary the Licence requesting the addition of 'Biomix', as described in the *Biomix exemption* (NSW EPA 2021), to the Licence 'Waste' table at Condition L4.1.
- C. The EPA has reviewed the application and approves the variation having considered section 45 of the Act.
- D. Several additional minor variations have been made to the Licence 'Waste' table at Condition L4.1.

VARIATION OF LICENCE NO. 2094

1. By this notice the EPA varies the Licence. The attached licence document contains all variations that are made to the Licence by this notice.
2. The following variations have been made to the Licence:
 - Condition L4.1 'Waste' table:
 - Updated wording and formatting at 'Waste', 'Description', 'Activity' and 'Other Limits' columns - consistent with modern license formatting, the EPA Waste Classification Guidelines and associated Resource Recovery Exemptions;
 - Added 'Biomix' under the NSW EPA Biomix exemption 2021;
 - Removed 'Paper Pulp' waste type which is now captured under 'Biomix' waste;

Licence Variation



- Removed descriptive categories associated with 'Biosolids' - the Licensee must ensure the category of Biosolids received and land applied at the Premises is consistent with the advice outlined in the *Environmental Guidelines - Use and Disposal of Biosolids Products* (NSW EPA 2000).

A handwritten signature in blue ink, appearing to read 'S. James', is positioned above the printed name.

.....
STEVEN JAMES
Unit Head Regulatory Operations Metro North
Environment Protection Authority
(by Delegation)

INFORMATION ABOUT THIS NOTICE

- This notice is issued under section 58(5) of the Act.
- Details provided in this notice, along with an updated version of the licence, will be available on the EPA's Public Register (<http://www.epa.nsw.gov.au/prpoeo/index.htm>) in accordance with section 308 of the Act.

Appeals against this decision

- You can appeal to the Land and Environment Court against this decision. The deadline for lodging the appeal is 21 days after you were given notice of this decision.

When this notice begins to operate

- The variations to the licence specified in this notice begin to operate immediately from the date of this notice, unless another date is specified in this notice.
- If an appeal is made against this decision to vary the licence and the Land and Environment Court directs that the decision is stayed the decision does not operate until the stay ceases to have effect or the Land and Environment Court confirms the decision or the appeal is withdrawn (whichever occurs first).



Environment Protection Licence

Licence - 2094

Licence Details

Number:	2094
Anniversary Date:	30-June

Licensee

LIDDELL COAL OPERATIONS PTY. LIMITED

PO BOX 7

SINGLETON NSW 2330

Premises

LIDDELL COAL OPERATIONS (LCO)

OLD NEW ENGLAND HIGHWAY RAVENSWORTH VIA
SINGLETON

RAVENSWORTH NSW 2330

Scheduled Activity

Coal works

Mining for coal

Fee Based Activity

Scale

Coal works	> 5000000 T annual handling capacity
Mining for coal	> 5000000 T annual production capacity

Region

Regional North - Newcastle

Ground Floor, NSW Govt Offices, 117 Bull Street

NEWCASTLE WEST NSW 2302

Phone: (02) 4908 6800

Fax: (02) 4908 6810

PO Box 488G

NEWCASTLE NSW 2300



Environment Protection Licence

Licence - 2094

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Other activities	6
A4 Information supplied to the EPA	7
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	10
L1 Pollution of waters	10
L2 Concentration limits	10
L3 Volume and mass limits	11
L4 Waste	11
L5 Noise limits	12
L6 Blasting	13
4 OPERATING CONDITIONS	13
O1 Activities must be carried out in a competent manner	13
O2 Maintenance of plant and equipment	14
O3 Dust	14
O4 Emergency response	14
O5 Waste management	15
O6 Other operating conditions	15
5 MONITORING AND RECORDING CONDITIONS	15
M1 Monitoring records	15
M2 Requirement to monitor concentration of pollutants discharged	16
M3 Testing methods - concentration limits	17
M4 Weather monitoring	17



Environment Protection Licence

Licence - 2094

M5	Recording of pollution complaints	18
M6	Telephone complaints line	18
M7	Requirement to monitor volume or mass	19
M8	Blasting	19
M9	Other monitoring and recording conditions	19
M10	Noise monitoring	20
6	REPORTING CONDITIONS	20
R1	Annual return documents	20
R2	Notification of environmental harm	22
R3	Written report	22
R4	Other notifications	22
R5	Other reporting conditions	23
7	GENERAL CONDITIONS	24
G1	Copy of licence kept at the premises or plant	24
G2	Other general conditions	25
8	SPECIAL CONDITIONS	25
E1	Hunter River Salinity Trading Scheme	25
DICTIONARY	27
General Dictionary	27

Environment Protection Licence

Licence - 2094

Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



Environment Protection Licence

Licence - 2094

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

LIDDELL COAL OPERATIONS PTY. LIMITED
PO BOX 7
SINGLETON NSW 2330

subject to the conditions which follow.

Environment Protection Licence

Licence - 2094

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Coal works	Coal works	> 5000000 T annual handing capacity
Mining for coal	Mining for coal	> 5000000 T annual production capacity

Note: In relation to this licence, the licensee must comply with:

- the activity scale limits imposed by this licence;
- the activity scale limits which apply for the reporting period specified in this licence; and
- the activity scale limits imposed by other legal instruments, such as approvals currently in force under the *Environmental Planning and Assessment Act 1979*.

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
LIDDELL COAL OPERATIONS (LCO)
OLD NEW ENGLAND HIGHWAY RAVENSWORTH VIA SINGLETON
RAVENSWORTH
NSW 2330
PREMISES DEFINE BY PLAN TITLED "EPL 2094 PLAN 1 - PREMISES BOUNDARY" DATED 6/4/2020 AND SPATIAL FILES EPA REFERENCE DOC20/277070.

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Sewage Treatment Systems

Environment Protection Licence

Licence - 2094

A4 Information supplied to the EPA

- A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

- P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
9	Particulate Matter Monitoring		PM10 monitoring at co-ordinates 313190 6417158 (Easting Northing) shown as Point 9 on Figure 1.
10	Particulate Matter Monitoring		PM10 monitoring at co-ordinates 316399 6413362 (Easting Northing) shown as Point 10 on Figure 1.
11	Particulate Matter Monitoring		PM10 monitoring at co-ordinates 312296 6415170 (Easting Northing) shown as Point 11 on Figure 1.
12	Particulate Matter Monitoring		PM10 monitoring at co-ordinates 316738 6414414 (Easting Northing) shown as Point 12 on Figure 1.

- P1.2 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

- P1.3 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
------------------------	--------------------------	-------------------------	----------------------

Environment Protection Licence

Licence - 2094

5	Discharge quality monitoring Effluent quality monitoring	Discharge quality monitoring Effluent quality monitoring	Discharge to on-site dam from the wastewater treatment plant at co-ordinates 315155 6412504 (Easting, Northing) shown as Point 5 on Figure 2.
6	Discharge of saline water under the Hunter River Salinity Trading Scheme (HRSTS) Discharge Quality Volume Monitoring	Discharge of saline water under the Hunter River Salinity Trading Scheme (HRSTS) Discharge Quality Volume Monitoring	HRSTS discharge to Bayswater Creek at the site boundary adjacent to the Old New England Highway a co-ordinates 312395 641445 (Easting, Northing) shown as Point 6 on Figure 1.
16		Discharge to pipeline	Mine water transfer to Ravensworth Mine at co-ordinates 312281 6414277 (Easting, Northing) shown as Ravensworth Ops Water Transfer on Figure 2.
17		Discharge to Pipeline	Mine water transfer to Mt Owen Mine at co-ordinates 316423 6415400 (Easting, Northing) shown as Mt Owen Water Transfer on Figure 2.
18		Discharge to pipeline	Mine water transfer to HV Operations Mine at co-ordinates 312262 6414295 (Easting, Northing) shown as Newdell Water Transfer 1 on Figure 2.
19	Ambient water quality monitoring		Upstream monitoring of Bowmans Creek at co-ordinates 316123 6419902 (Easting, Northing) shown as Point 16 on Figure 1.
20	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 315032 6418675 (Easting, Northing) shown as Point 17 on Figure 1.
21	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 315694 6417477 (Easting, Northing) shown as Point 18 on Figure 1.
22	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 315972 6416520 (Easting, Northing) shown as Point 19 on Figure 1.
23	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 316579 6415503 (Easting, Northing) shown as Point 20 on Figure 1.
24	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 316370 6414490 (Easting, Northing) shown as Point 21 on Figure 1.
25	Ambient water quality monitoring		Monitoring of Bowmans Creek at co-ordinates 316693 6413606 (Easting, Northing) shown as Point 22 on Figure 1.

Environment Protection Licence

Licence - 2094

26	Ambient water quality monitoring	Downstream monitoring of Bowmans Creek at co-ordinates 315923 6412567 (Easting, Northing) shown as Point 23 on Figure 1.
27	Ambient water quality monitoring	Monitoring of Bayswater Creek at co-ordinates 311900 6414624 (Easting, Northing) shown as Point 24 on Figure 1.
28	Ambient water quality monitoring	Monitoring of Bayswater Creek at co-ordinates 312561 6414287 (Easting, Northing) shown as Point 25 on Figure 1.
29	Ambient water quality monitoring	Monitoring of Bayswater Creek at co-ordinates 314199 6412721 (Easting, Northing) shown as Point 26 on Figure 1.
30	Discharge to pipeline	Mine water transfer to HV Operations Mine at co-ordinates 312277 6414284 (Easting, Northing) shown as Newdell Water Transfer 2 on Figure 2.
31	Discharge to utilisation area	STP discharge to irrigation area at co-ordinates 312559 6415413 (Easting Northing) shown as CHPP STP Irrigation Area on Figure 2.

P1.4 The following points referred to in the table below are identified in this licence for the purposes of weather and/or noise monitoring and/or setting limits for the emission of noise from the premises.

Noise/Weather

EPA identification no.	Type of monitoring point	Location description
7	Air blast overpressure & ground vibration peak particle velocity monitoring	Blast monitor at co-ordinates 315931 6418820 (Easting, Northing) shown as Point 7 on Figure 1.
8	Air blast overpressure & ground vibration peak particle velocity monitoring	Blast monitor at co-ordinates 309999 6420401 (Easting, Northing) shown as Point 8 on Figure 1.
13	Meteorological Station	Meteorological monitoring at co-ordinates 315140 6412432 (Easting, Northing) shown as Point 13 on Figure 1.
14	Noise monitoring	Noise Monitoring at co-ordinates 316263 6419409 (Easting, Northing) shown as Point 14 on Figure 1.
15	Noise monitoring	Noise monitoring at co-ordinates 316162 6420177 (Easting, Northing) shown as Point 15 on Figure 1.

P1.5 For the purposes of condition P1.1, P1.2, P1.3 and P1.4 Figure 1 refers to the plan titled "EPL 2094 Plan 2 - Monitoring Locations" dated 6 April 2020, EPA Reference DOC20/277070.

Environment Protection Licence

Licence - 2094

- P1.6 For the purposes of condition P1.2 and P1.3 Figure 2 refers to the plan titled "EPL 2094 Plan 3 - Water Access Bores, STPs and Transfer Points" dated 6 April 2020, EPA Reference DOC20/277070.
- P1.7 The datum for grid references in this Licence is the Geodetic Datum of Australia 1994 (GDA94), Zone 56.

3 Limit Conditions

L1 Pollution of waters

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

- L2.1 For each monitoring/discharge point or utilisation area specified in the table\ below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.
- L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\.
- L2.4 Water and/or Land Concentration Limits

POINT 5

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
E. coli	colony forming units per 100 millilitres				100

POINT 6

Pollutant	Units of Measure	50 percentile concentration limit	90 percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
pH	pH				6.5-9.0
Total suspended solids	milligrams per litre				120

Environment Protection Licence

Licence - 2094

L3 Volume and mass limits

- L3.1 For each discharge point or utilisation area specified below (by a point number), the volume/mass of:
- liquids discharged to water; or;
 - solids or liquids applied to the area;
- must not exceed the volume/mass limit specified for that discharge point or area.

Point	Unit of Measure	Volume/Mass Limit
6	megalitres per day	100

L4 Waste

- L4.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled "Waste" and meeting the definition, if any, in the column titled "Description" in the table below.

Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled "Activity" in the table below.

Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled "Other Limits" in the table below.

This condition does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
NA	General solid waste (non-putrescible)	Biomix	As specified in each particular resource recovery exemption	For use in mine rehabilitation
NA	General solid waste (non-putrescible)	Excavated natural material	As specified in each particular resource recovery exemption	For use in mine rehabilitation
NA	General solid waste (non-putrescible)	Biosolids	As specified in each particular resource recovery exemption	For use in mine rehabilitation
NA	General solid waste (non-putrescible)	Plasterboard	As specified in each particular resource recovery exemption	For use in mine rehabilitation
NA	General solid waste (non-putrescible)	Compost	As specified in each particular resource recovery exemption	For use in mine rehabilitation
NA	General solid waste (non-putrescible)	Pasteurised garden organics	As specified in each particular resource recovery exemption	For use in mine rehabilitation

- L4.2 The Licensee must not dispose of waste on the premises unless authorised by a condition of the Licence.

- L4.3 The Licensee is authorised to receive mine water under the Greater Ravensworth Area Water Sharing Scheme from Mt Owen, HV Operations and Ravensworth Operations Coal Mines for storage and use in

Environment Protection Licence

Licence - 2094

activities authorised by the Licence.

- L4.4 The Licensee must not dispose of more than 400 heavy Plant waste tyres on the premises in any annual return year period.

L5 Noise limits

- L5.1 Noise generated at the premises must not exceed the noise limits presented in the table below.

Location	Day LAeq(15min)	Evening LAeq(15min)	Night LAeq(15min)	Night LA1(1min)
EPA Point 14 & 15	35	35	35	45
Residences 1,5,6,7,8,9,10,11, 12 & 14	35	35	35	45
Residence 2	35	35	36	45
Residence 3	35	35	37	45
Residence 4	36	35	36	45

- L5.2 For the purposes of Condition L5.1 of the Licence residences referenced are from consent DA 305-11-01 Mod 6 January 2019 and within the document titled "Liddell Coal Operations Appendix M Environmental Noise and Blasting Assessment" by Global Acoustics 2013, EPA Reference DOC13/64737.

- L5.3 For the purposes of Condition L5.1:

- Day is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sundays and Public Holidays,
- Evening is defined as the period from 6pm to 10pm, and
- Night is defined as the period from 10pm to 7am Monday to Saturday and 10pm to 8am Sundays and Public Holidays

- L5.4 The noise limits set out in condition L5.1 apply under all meteorological conditions except for the following:

- Wind speeds greater than 3 metres/second at 10 metres above the ground level;
- Stability category F temperature inversion conditions and wind speeds greater than 2 metres/second at 10 metres above ground level; or
- Stability category G temperature inversion conditions.

- L5.5 For the purposes of condition L5.3:

- Data recorded by the closest and most representative meteorological station installed on the premises at EPA Identification Point 13 must be used to determine meteorological conditions; and
- Temperature inversion conditions (stability category) are to be determined by the methods referred to in Fact Sheet D of the Noise Policy for Industry (2017).

Environment Protection Licence

Licence - 2094

L6 Blasting

- L6.1 Blasting in or on the premises must only be carried out between 0900 hours and 1700 hours, Monday to Saturday. Blasting in or on the premises must not take place on Sundays or Public Holidays without the prior approval of the EPA.
- L6.2 The airblast overpressure level from blasting operations in or on the premises must not exceed: 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period; at either monitoring point 7 or 8 in Condition P1.4.
- L6.3 The airblast overpressure level from blasting operations in or on the premises must not exceed: 120 dB (Lin Peak) at any time; at either monitoring point 7 or 8 in Condition P1.4.
- L6.4 The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed:
5 mm/second for more than 5% of the total number of blasts during each reporting period; at either monitoring point 7 or 8 in Condition P1.4.
- L6.5 The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed:
10 mm/second at any time; at either monitoring point 7 or 8 in Condition P1.4.
- L6.6 Offensive blast fume must not be emitted from the premises.

Definition:

Offensive blast fume means post-blast gases from the detonation of explosives at the premises that by reason of their nature, duration, character or quality, or the time at which they are emitted, or any other circumstances:

1. *are harmful to (or likely to be harmful to) a person that is outside the premises from which it is emitted, or*
2. *interferes unreasonably with (or is likely to interfere unreasonably with) the comfort or repose of a person who is outside the premises from which it is emitted.*

4 Operating Conditions

O1 Activities must be carried out in a competent manner

- O1.1 Licensed activities must be carried out in a competent manner.
This includes:
- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
 - b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

Environment Protection Licence

Licence - 2094

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
- must be maintained in a proper and efficient condition; and
 - must be operated in a proper and efficient manner.

Sewage Treatment System

- O2.2 The licensee is responsible for the correct operation of the sewage treatment system on the premises.
- O2.3 Correct operation involves regular supervision and system maintenance. The licensee must be aware of the system management requirements and must ensure that the necessary service contracts are in place.
- O2.4 The sewage treatment system must be serviced by a suitably qualified and experienced wastewater technician at least once in each quarterly period and a minimum of four times per year.
- O2.5 The licensee must record each inspection and any actions required or recommended by the technician including all results of tests performed on the sewage treatment system by the technician as required in Condition O2.4.
- O2.6 The licensee must prepare a sewage treatment system maintenance program. The program must include:
- Certification from the system provider that the sewage treatment system is operating within its capacity;
 - Date, time and results of all routine maintenance procedures undertaken to the sewage treatment system; and
 - Provide written records of each quarterly inspection.

O3 Dust

- O3.1 The premises must be maintained in a condition which minimises or prevents the emission of dust from the premises.
- O3.2 All trafficable areas, coal storage areas and vehicle manoeuvring areas in or on the premises must be maintained, at all times, in a condition that will minimise the generation, or emission from the premises, of wind-blown or traffic generated dust.
- O3.3 All operations and activities occurring at the premises must be carried out in a manner that will minimise the emission of dust from the premises.

O4 Emergency response

Note: The licensee must maintain, and implement as necessary, a current Pollution Incident Response Management Plan (PIRMP) for the premises. The licensee must keep the incident response plan on the premises at all times. The incident response plan must document systems and procedures to deal with all types of incidents (e.g. spills, explosions or fire) that may occur at the premises or that may be associated with activities that occur at the premises and which are likely to cause harm to the environment. The

Environment Protection Licence

Licence - 2094

licensee must develop a Pollution Incident Response Management Plan in accordance with the requirements in Part 5.7A of the Protection of the Environment Operations (POEO) Act 1997 and POEO regulations.

O5 Waste management

O5.1 The Licensee is authorised to dispose of heavy Plant-tyre waste generated on the premises, in the pit. The Licensee must:

- a) ensure that heavy Plant waste tyres are re-used on the premises as much as practical;
- b) ensure that heavy Plant waste tyres are laid flat with a maximum of 10 tyres per site and a minimum distance of 10m between sites;
- c) ensure that any surplus heavy Plant waste tyres can be emplaced by being spread out on the pit-floor and buried as deep as practical, but, covered by at least 20m of inert material beneath any final rehabilitated surface;
- d) place heavy Plant waste tyres at least 10m away from coarse reject material or tailings emplacement areas;
- e) not place any heavy Plant waste tyres near heated material or carbonaceous material; and
- f) not place any heavy Plant waste tyres in an area likely to leach to any water-course.

O6 Other operating conditions

O6.1 There must be no incineration or open burning of any material(s) on the premises, except as specifically authorised by the EPA.

O6.2 All above-ground tanks containing material that is likely to cause environmental harm must be bunded or have an alternative spill containment system in place.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

M1.2 All records required to be kept by this licence must be:

- a) in a legible form, or in a form that can readily be reduced to a legible form;
- b) kept for at least 4 years after the monitoring or event to which they relate took place; and
- c) produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- a) the date(s) on which the sample was taken;
- b) the time(s) at which the sample was collected;
- c) the point at which the sample was taken; and
- d) the name of the person who collected the sample.

Environment Protection Licence

Licence - 2094

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 9,10,11,12

Pollutant	Units of measure	Frequency	Sampling Method
PM10	micrograms per cubic metre	Continuous	Special Method 1

Note: Special Method 1 requires the Licensee to undertake the monitoring of PM₁₀ concentration in strict accordance with the manufacturer's operating manual supplied with the continuous monitoring equipment and titled "E-BAM Rapid Deployment Particulate Monitor - Operation Manual for PM₁₀ or PM_{2.5} Continuous Monitoring E-Bam-9800 REV L" dated 2008.

M2.3 Water and/ or Land Monitoring Requirements

POINT 5

Pollutant	Units of measure	Frequency	Sampling Method
Faecal Coliforms	colony forming units per 100 millilitres	Once a month (min. of 4 weeks)	Grab sample
pH	pH	Once a month (min. of 4 weeks)	Grab sample

POINT 6

Pollutant	Units of measure	Frequency	Sampling Method
Conductivity	microsiemens per centimetre	Continuous during discharge	A probe designed to measure the range 0 to 10,000 uS/cm
pH	pH	Daily when wastes discharged	Grab sample
Total suspended solids	milligrams per litre	Daily when wastes discharged	Grab sample
Turbidity	nephelometric turbidity units	Continuous during discharge	In line instrumentation

POINT 19,20,21,22,23,24,25,26,27,28,29

Environment Protection Licence

Licence - 2094

Pollutant	Units of measure	Frequency	Sampling Method
Electrical conductivity	microsiemens per centimetre	Monthly	Grab sample
pH	pH	Monthly	Grab sample
Total suspended solids	milligrams per litre	Monthly	Grab sample
Turbidity	nephelometric turbidity units	Monthly	Grab sample

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2010* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M3.2 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Weather monitoring

M4.1 At the point(s) identified below, the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1 of the table below, using the corresponding sampling method, units of measure, averaging period and sampling frequency, specified opposite in the Columns 2, 3, 4 and 5 respectively.

Environment Protection Licence

Licence - 2094

POINT 13

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Rainfall	AM-4	millimetres	1 hour	Continuous
Sigma Theta	AM-2 & AM-4	Degrees	15 minutes	Continuous
Temperature at 2 metres	AM-4	Celsius	15 minutes	Continuous
Temperature at 10 metres	AM-4	Celsius	15 minutes	Continuous
Total Solar Radiation	AM-4	Watts per square metre	15 minutes	Continuous
Wind Direction at 10 metres	AM-2 & AM-4	Degrees	15 minutes	Continuous
Wind Speed at 10 metres	AM-2 & AM-4	metres per second	15 minutes	Continuous

Note: All methods are specified in the *Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales* and all monitoring must be conducted strictly in accordance with the requirements outlined in this document.

M5 Recording of pollution complaints

M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M5.2 The record must include details of the following:

- a) the date and time of the complaint;
- b) the method by which the complaint was made;
- c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- d) the nature of the complaint;
- e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- f) if no action was taken by the licensee, the reasons why no action was taken.

M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6 Telephone complaints line

M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

Environment Protection Licence

Licence - 2094

M6.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M7 Requirement to monitor volume or mass

M7.1 For each discharge point or utilisation area specified below, the licensee must monitor:

- the volume of liquids discharged to water or applied to the area;
- the mass of solids applied to the area;
- the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 6

Frequency	Unit of Measure	Sampling Method
Continuous during discharge	megalitres per day	Electronic level sensor and continuous logger

M8 Blasting

M8.1 To determine compliance with conditions L6.2, L6.3, L6.4 and L6.5:

- Airblast overpressure and ground vibration levels must be measured and electronically recorded for monitoring points 7 and 8 for the parameters specified in Column 1 of the table below; and
- The licensee must use the units of measure, sampling method, and sample at the frequency specified opposite in the other columns.

Parameter	Units of Measure	Frequency	Sampling Method
Airblast Overpressure	Decibels (Linear Peak)	All blasts	Australian Standard AS 2187.2-2006
Ground Vibration Peak Particle Velocity	millimetres/second	All blasts	Australian Standard AS 2187.2-2006

M9 Other monitoring and recording conditions

M9.1 HRSTS Monitoring

The licensee must continuously operate and maintain communication equipment which makes the conductivity and flow measurements, taken at Point 6 available to the "Service Coordinator" within one hour of those measurements being taken and makes them available in the format specified in the "Hunter River Salinity Trading Scheme Discharge Point Telemetry Specification - Rev V1.0 Released 4 October 2018" as published by WaterNSW.

M9.2 The licensee must ensure that all monitoring data is within a margin of error of 5% for conductivity measurements and 10% for discharge flow measurement.

M9.3 The licensee must mark monitoring point 6 with a sign which clearly indicates the name of the licensee, whether the monitoring point is up or down stream of the discharge point(s) and that it is a monitoring point for the Hunter River Salinity Trading Scheme.

Environment Protection Licence

Licence - 2094

M9.4 Requirement to Monitor Particulate Matter

The licensee must record the average PM10 concentration at monitoring points 9,10,11 and 12 at intervals of 10 minutes. This data must be made available upon request by any Authorised Officer of the EPA who asks to see it.

M10 Noise monitoring

M10.1 To assess compliance with the noise limits specified within this licence, the licensee must undertake operator attended noise monitoring at each specified noise monitoring point in accordance with the table below.

POINT 14,15

Assessment period	Minimum frequency in a reporting period	Minimum duration within assessment period	Minimum number of assessment period
Night	Monthly	15 minutes	1 operation day

M10.2 To assess compliance with condition L5.1, attended noise monitoring must be undertaken in accordance with Conditions L5.2 to L5.4:

- a) at the EPA points 14 and 15 identified in P1.4; and
- b) occur every calendar month in a reporting period; and
- c) occur during one night time period as defined in the Noise Policy for Industry 2017 for a minimum of 15 minutes at each location from a), and when relevant b) during the night.

M10.3 For the purposes of compliance monitoring and determining the noise generated at the premises the modification factors in the EPA's Fact Sheet C of the Noise Policy for Industry (2017) must be applied, as appropriate, to the noise levels measured by noise monitoring equipment.

Definitions

Noise refers to 'sound pressure levels' for the purpose of conditions L5.1 to L.5.4 and condition M10.

M10.4 Where required in writing by the EPA, the Licensee must carry out attended monitoring at sensitive receivers in addition the monitoring required by Condition M10.2.

6 Reporting Conditions

R1 Annual return documents

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
1. a Statement of Compliance,
 2. a Monitoring and Complaints Summary,

Environment Protection Licence

Licence - 2094

3. a Statement of Compliance - Licence Conditions,
4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R1.8 The licensee must supply, with each Annual Return, a Blast Monitoring Report which must include the following information relating to each blast carried out within the premises during the reporting period covered by the Annual Return:

- a) the date and time of the blast;
- b) the location of the blast on the premises;
- c) the blast monitoring results at each blast monitoring station; and
- d) an explanation for any missing blast monitoring results.



Environment Protection Licence

Licence - 2094

R2 Notification of environmental harm

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
- and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

R3.3 The request may require a report which includes any or all of the following information:

- a) the cause, time and duration of the event;
- b) the type, volume and concentration of every pollutant discharged as a result of the event;
- c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
- d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other notifications

Notification of Pollution of Waters

R4.1 The Licensee must notify the EPA by telephoning the Environment Line service on 131 555 immediately after the Licensee becomes aware of any contravention or potential contravention of Condition L1 of the



Environment Protection Licence

Licence - 2094

Licence.

- R4.2 The Licensee must provide written details of the notification to the EPA Director Hunter at hunter.region@epa.nsw.gov.au within 7 days of the date of the notification.

Blast Exceedance Notification

- R4.3 The licensee must report any exceedance of licence blasting limits to the EPA Hunter at hunter.region@epa.nsw.gov.au as soon as practicable after the exceedance becomes known to the licensee or to one of the licensee's employees or agents.

Noise Exceedance Reporting

- R4.4 The licensee must report any exceedance of licence noise limits to the EPA Hunter at hunter.region@epa.nsw.gov.au as soon as practicable after the exceedance becomes known to the licensee or to one of the licensee's employees or agents

R5 Other reporting conditions

HRSTS Reporting

- R5.1 The Licensee must compile a written report of the activities under the Scheme for each scheme year. The scheme year shall run from 1 July to 30 June each year. The written report must be submitted to the EPA's regional office within 60 days after the end of each scheme year and be in a form and manner approved by the EPA. The information will be used by the EPA to compile an annual scheme report.
- R5.2 The Licensee must include graphical analysis of turbidity measured at EPA Point 6 for the length of any discharges from EPA Point 6 within the HRSTS Report.

Blast Monitoring Report

- R5.3 The results of the blast monitoring required by the licence must be submitted to the EPA, with each Annual Return, at the end of each reporting period. The monitoring results must identify any exceedance of licence limits.

Water Quality Monitoring Report

- R5.4 The licensee must provide the EPA with its Annual Return an annual water quality monitoring report prepared by an appropriately qualified and experienced person that includes the following:
- a) for the monitoring required by the licence during the reporting period to which the Annual Return relates:
- (i) a summary of results for all ambient water quality monitoring required by the licence in table form and graphical form;
 - (ii) total daily rainfall records from the premises meteorological monitoring required by the licence on the day that the sampling was undertaken in table form;
 - (iii) total daily continuous rainfall records in graphical form; and
 - (iv) a plan with the monitoring locations.

Environment Protection Licence

Licence - 2094

b) A graphical presentation of the trends of monitoring results required by the licence for the reporting period to which the Annual Return relates and the preceding data for the period of record the licensee has monitoring results for the licensed location (this is the entire dataset).

c) A graphical representation of total daily continuous rainfall records required by the licence for the record that matches the ambient water quality results, if available.

Sewage Treatment System Report

R5.5 The sewage treatment system maintenance program required by Condition O2.6 must be submitted annually to the EPA with the Annual Return.

R5.6 The licensee must retain a copy of each report required by Condition O2.5 for 3 years from the date each record is made.

Noise Compliance Assessment Report

R5.7 The Licensee must provide the EPA with its Annual Return an annual noise compliance assessment report prepared by an appropriately qualified acoustic consultant. The report must include an assessment of any exceedance of noise limits and justification that the noise monitoring points identified in Condition P1.4 are still representative of the noise limits at the sensitive receivers identified in Condition L5.1.

Heavy Plant-Tyre Disposal Report

R5.8 The Licensee must provide the EPA with the Annual Return a Heavy Plant-Tyre Disposal Report. The Report must include:

a) a plan of the disposed heavy plant waste tyres on the premises for the period that includes:

- (i) each tyre serial number;
- (ii) purchase date of each tyre;
- (iii) disposal date of each tyre;
- (iv) co-ordinates (easting and northings) of the disposal of each tyre;
- (v) the Reduced Level (RL) in metres AHD of each tyre placed in the pit;
- (vi) the number of tyres buried in a particular area; and
- (vii) the cumulative number of tyres disposed of at the premises each year.

7 General Conditions

G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Environment Protection Licence

Licence - 2094

G2 Other general conditions

G2.1 Completed Programs

Program	Description	Completed Date
LCO shall provide written report on spon.comb. LC	LCO shall provide written report on spon.comb. LCO shall report by 31st August on U1.2.1 . Reduce dust emissions.(*)	01-September-2009
Coal Mine Particulate Matter Control Best Practice	Site specific determination of particulate matter control against best practice.	13-February-2012
Premises Noise Limits	The licensee is to determine noise limits for the premises in accordance with the INP or otherwise as consistent with the project approval and develop a compliance monitoring program to assess compliance with those limits.	29-May-2013
Particulate matter Control Best Practice - Wheel Generated Dust	Implementation of particulate matter best management practices to address wheel-generated dust.	15-August-2014
Particulate Matter Control Best Practice - Disturbing and Handling Overburden under Adverse Weather Conditions	Implementation of particulate matter best management practices to address the handling of overburden during adverse weather.	15-August-2014
Particulate Matter Control Best Practice - Trial of Best Practice Measures for Disturbing and Handling Overburden	Investigation to establish best practice measures for the handling of overburden.	15-August-2014
Coal Mine Wind Erosion of Exposed Land Assessment	Assessment of predicted vs actual exposed land	29-May-2015

8 Special Conditions

E1 Hunter River Salinity Trading Scheme

- E1.1 This licence authorises the discharge of saline water into the Hunter River Catchment from an authorised discharge point (or points), in accordance with the *Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation 2002*.
- E1.2 For the purposes of Clauses 23 and 29 of the Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation 2002 the licensee must apply the conversion factor of 0.6.
- E1.3 The licensee must not exceed the hourly volume discharge limit calculated using the following formula, at all discharge point(s) on this licence titled "Discharge of saline water under the Hunter River Salinity Trading Scheme (HRSTS)":

Environment Protection Licence

Licence - 2094

$$H = V / RRT$$

Where:

H is the hourly volume discharge limit (in megalitres per hour);

V is the licence holder's volume discharge limit for the block (in megalitres) calculated in accordance with clause 23 of the Protection of the Environment Operations (Hunter River Salinity Trading Scheme) Regulation (2002); and

RRT is the difference between the discharge stop and start times shown on the river register for that block (in hours)

Note 1: The intent of this condition is to prevent spikes of saline water in the Hunter River as a result of discharges of less than the duration permitted by the river register.

Note 2: A river register is issued by the Service Co-ordinator and allows participants of the Hunter River Salinity Trading Scheme (HRSTS) to discharge saline to the Hunter River during a discharge period.

Environment Protection Licence

Licence - 2094

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 2094

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence

Licence - 2094

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Mr Mitchell Bennett

Environment Protection Authority

(By Delegation)

Date of this edition: 18-September-2000

Environment Protection Licence

Licence - 2094

End Notes

- 1 Licence varied by notice 1003023, issued on 06-Dec-2000, which came into effect on 31-Dec-2000.
- 2 Licence varied by notice 1008558, issued on 13-Aug-2001, which came into effect on 07-Sep-2001.
- 3 Licence varied by Change to Accountable Party Address, issued on 10-Sep-2001, which came into effect on 10-Sep-2001.
- 4 Condition HRSTS Dis Note varied by notice issued on <issue date> which came into effect on <effective date>
- 5 Licence varied by notice 1012236, issued on 07-Dec-2001, which came into effect on 01-Jan-2002.
- 6 Licence varied by notice 1025545, issued on 26-Mar-2003, which came into effect on 20-Apr-2003.
- 7 Licence varied by notice 1028788, issued on 04-Jul-2003, which came into effect on 29-Jul-2003.
- 8 Licence varied by notice 1040111, issued on 04-Nov-2004, which came into effect on 29-Nov-2004.
- 9 Licence varied by notice 1080260, issued on 04-Mar-2008, which came into effect on 04-Mar-2008.
- 10 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 11 Licence varied by notice 1094053, issued on 01-May-2009, which came into effect on 01-May-2009.
- 12 Licence varied by notice 1101910, issued on 10-Jul-2009, which came into effect on 10-Jul-2009.
- 13 Licence varied by notice 1104266, issued on 26-Nov-2009, which came into effect on 26-Nov-2009.
- 14 Licence varied by notice 1110307, issued on 04-Jan-2010, which came into effect on 04-Jan-2010.
- 15 Licence varied by notice 1500550 issued on 08-Aug-2011
- 16 Licence format updated on 14-Dec-2011
- 17 Licence varied by notice 1506505 issued on 21-Mar-2013
- 18 Licence varied by notice 1516127 issued on 05-Sep-2013
- 19 Licence varied by notice 1518698 issued on 05-Dec-2013
- 20 Licence varied by notice 1519597 issued on 04-Apr-2014



Environment Protection Licence

Licence - 2094

21	Licence varied by notice	1522192 issued on 16-Oct-2014
22	Licence varied by notice	1529727 issued on 08-Apr-2015
23	Licence varied by notice	1530560 issued on 12-Jun-2015
24	Licence varied by notice	1533006 issued on 08-Sep-2015
25	Licence varied by notice	1535910 issued on 02-Nov-2016
26	Licence varied by notice	1552262 issued on 30-May-2017
27	Licence varied by notice	1553558 issued on 17-Aug-2017
28	Licence varied by notice	1569897 issued on 01-Apr-2019
29	Licence varied by notice	1590104 issued on 12-Jun-2020